

ID 2100 ABS SIDEWALLS

HIGH-MOLECULAR GRAPHITE SINTERED
RUNNING BASE, STONE GRINDING FINISH

GLOSSY FINISH



ALL-AROUND ROCKWELL 48 STEEL EDGE



ALUMINUM TAIL PROTECTOR

CARBON & KEVLAR
FIBERGLASS LAMINATES

ULTRALIGHT WOODCORE

HIGH-RESOLUTION SCREEN
PRINTED GRAPHICS

STAINLESS STEEL INSERTS

FLAT BOTTOM TIP & TAIL
FREERIDE ROCKER

BOARD LENGTH

1710

INSERT SYSTEM

6X2

EFFECTIVE EDGE

1330

INSERT SETBACK

50

NOSE WIDTH

310

OPTIMAL STANCE

560

WAIST WIDTH

258

SIDE CUT RADIUS


10750

TAIL WIDTH

292

PINTAIL

18



ID 2100 ABS SIDEWALLS

HIGH-MOLECULAR GRAPHITE SINTERED
RUNNING BASE, STONE GRINDING FINISH

GLOSSY FINISH



ALL-AROUND ROCKWELL 48 STEEL EDGE



ALUMINUM TAIL PROTECTOR

CARBON & KEVLAR
FIBERGLASS LAMINATES

ULTRALIGHT WOODCORE

HIGH-RESOLUTION SCREEN
PRINTED GRAPHICS

STAINLESS STEEL INSERTS

FLAT BOTTOM TIP & TAIL
FREERIDE ROCKER

BOARD LENGTH

1810

INSERT SYSTEM

6X2

EFFECTIVE EDGE

1380

INSERT SETBACK

50

NOSE WIDTH

310

OPTIMAL STANCE

570

WAIST WIDTH

258

SIDE CUT RADIUS

11250

TAIL WIDTH

292

PINTAIL

18



ID 2100 ABS SIDEWALLS



HIGH-MOLECULAR GRAPHITE SINTERED
RUNNING BASE, STONE GRINDING FINISH



GLOSSY FINISH



ALL-AROUND ROCKWELL 48 STEEL EDGE



ALUMINUM TAIL PROTECTOR



CARBON & KEVLAR
FIBERGLASS LAMINATES



ULTRALIGHT WOODCORE



HIGH-RESOLUTION SCREEN
PRINTED GRAPHICS



STAINLESS STEEL INSERTS



FLAT BOTTOM TIP & TAIL
FREERIDE ROCKER

BOARD LENGTH

1860

INSERT SYSTEM

6X2

EFFECTIVE EDGE

1440

INSERT SETBACK

50

NOSE WIDTH

325

OPTIMAL STANCE

580

WAIST WIDTH

268

SIDE CUT RADIUS


11250

TAIL WIDTH

310

PINTAIL

15



ID 2100 ABS SIDEWALLS



HIGH-MOLECULAR GRAPHITE SINTERED
RUNNING BASE, STONE GRINDING FINISH



GLOSSY FINISH



ALL-AROUND ROCKWELL 48 STEEL EDGE



ALUMINUM TAIL PROTECTOR



CARBON & KEVLAR
FIBERGLASS LAMINATES



ULTRALIGHT WOODCORE



HIGH-RESOLUTION SCREEN
PRINTED GRAPHICS



STAINLESS STEEL INSERTS



FLAT BOTTOM TIP & TAIL
FREERIDE ROCKER

BOARD LENGTH

2010

INSERT SYSTEM

6X2

EFFECTIVE EDGE

1550

INSERT SETBACK

50

NOSE WIDTH

315

OPTIMAL STANCE

580

WAIST WIDTH

255

SIDE CUT RADIUS

12450

TAIL WIDTH

299

PINTAIL

16



ID 2100 ABS SIDEWALLS



HIGH-MOLECULAR GRAPHITE SINTERED
RUNNING BASE, STONE GRINDING FINISH



GLOSSY FINISH



ALL-AROUND ROCKWELL 48 STEEL EDGE



ALUMINUM TAIL PROTECTOR



CARBON & KEVLAR
FIBERGLASS LAMINATES



ULTRALIGHT WOODCORE



HIGH-RESOLUTION SCREEN
PRINTED GRAPHICS



STAINLESS STEEL INSERTS



FLAT BOTTOM TIP & TAIL
FREERIDE ROCKER

BOARD LENGTH

210

INSERT SYSTEM

6X2

EFFECTIVE EDGE

1550

INSERT SETBACK

50

NOSE WIDTH

315

OPTIMAL STANCE

580

WAIST WIDTH

255

SIDECUT RADIUS

12450

TAIL WIDTH

299

PINTAIL

16